


Scikit Cheat-Sheet





scikit-learn
algorithm cheat-sheet

Classifier Taxonomy

Generative vs. Discriminative

- Generative:
 - probabilistic “model” of each class
 - decision boundary:
 - where one model becomes more likely
 - natural use of unlabeled data
- Discriminative:
 - focus on the decision boundary
 - more powerful with lots of examples
 - not designed to use unlabeled data
 - only supervised tasks



Classifier Taxonomy

- **Generative Methods**



- Model class-conditional pdfs and prior probabilities
- “Generative” since sampling can generate synthetic data points
- Popular models
 - Gaussians, Naïve Bayes, Mixtures of multinomials
 - Mixtures of Gaussians, Mixtures of experts, Hidden Markov Models (HMM)
 - Sigmoid belief networks, Bayesian networks, Markov random fields

- **Discriminative Methods**


- Directly estimate posterior probabilities
- No attempt to model underlying probability distributions
- Focus computational resources on given task– better performance
- Popular models
 - Logistic regression, SVMs
 - Traditional neural networks, Nearest neighbor
 - Conditional Random Fields (CRF)

Supervised Learning

Regression / Relation to Perceptron



Perceptron



Regression Problem

- **Training data:** sample drawn i.i.d. from set X according to some distribution D ,

$$S = ((x_1, y_1), \dots, (x_m, y_m)) \in X \times Y,$$

with $Y \subseteq \mathbb{R}$ is a measurable subset.

- **Loss function:** $L: Y \times Y \rightarrow \mathbb{R}_+$ a measure of closeness, typically $L(y, y') = (y' - y)^2$ or $L(y, y') = |y' - y|^p$ for some $p \geq 1$.

- **Problem:** find hypothesis $h: X \rightarrow \mathbb{R}$ in H with small generalization error with respect to target f

$$R_D(h) = \mathbb{E}_{x \sim D} [L(h(x), f(x))] .$$

Notes

- Empirical error:

$$\widehat{R}_D(h) = \frac{1}{m} \sum_{i=1}^m L(h(x_i), y_i).$$

- In much of what follows:

- $Y = \mathbb{R}$ or $Y = [-M, M]$ for some $M > 0$.
- $L(y, y') = (y' - y)^2 \longrightarrow$ **mean squared error.**

Linear Regression


- Feature mapping $\Phi: X \rightarrow \mathbb{R}^N$.

- Hypothesis set: linear functions.

$$\{x \mapsto \mathbf{w} \cdot \Phi(x) + b: \mathbf{w} \in \mathbb{R}^N, b \in \mathbb{R}\}.$$

- **Optimization problem:** empirical risk minimization.

$$\min_{\mathbf{w}, b} F(\mathbf{w}, b) = \frac{1}{m} \sum_{i=1}^m (\mathbf{w} \cdot \Phi(x_i) + b - y_i)^2.$$



What is Linear Regression?

- In classification, we seek to identify the **categorical** class C_k associate with a given input vector x .
- In regression, we seek to identify (or **estimate**) a **continuous** variable y associated with a given input vector x .
- y is called the **dependent variable**.
- x is called the **independent variable**.
- If y is a vector, we call this multiple regression.
- We will focus on the case where y is a scalar.
- Notation:
 - y will denote the continuous model of the dependent variable
 - t will denote discrete noisy observations of the dependent variable (sometimes called the **target variable**).

Where is the Linear in Linear Regression?

- In regression we assume that y is a function of \mathbf{x} . The exact nature of this function is governed by an unknown parameter vector \mathbf{w} :

$$y = y(\mathbf{x}, \mathbf{w})$$

- The regression is linear if y is linear in \mathbf{w} . In other words, we can express y as

$$y = \mathbf{w}^t \phi(\mathbf{x})$$

where

$\phi(\mathbf{x})$ is some (potentially nonlinear) function of \mathbf{x} .

Linear Basis Function Models

- Generally

$$y(\mathbf{x}, \mathbf{w}) = \sum_{j=0}^{M-1} w_j \phi_j(\mathbf{x}) = \mathbf{w}^T \boldsymbol{\phi}(\mathbf{x})$$

- where $\phi_j(\mathbf{x})$ are known as *basis functions*.
- Typically, $\phi_0(\mathbf{x}) = 1$, so that w_0 acts as a bias.
- In the simplest case, we use linear basis functions :
 $\phi_d(\mathbf{x}) = x_d$.

Example: Polynomial Bases


8

Probability & Bayesian Inference

- Polynomial basis functions:

$$\phi_j(x) = x^j.$$


- These are global
 - a small change in x affects all basis functions.
 - A small change in a basis function affects y for all x .



Example: Polynomial Curve Fitting

9

Probability & Bayesian Inference



$$y(x, \mathbf{w}) = w_0 + w_1x + w_2x^2 + \dots + w_Mx^M = \sum_{j=0}^M w_jx^j$$

Linear Regression - Solution

- Rewrite objective function as $F(\mathbf{W}) = \frac{1}{m} \|\mathbf{X}^\top \mathbf{W} - \mathbf{Y}\|^2$,
 $\mathbf{X} = \begin{bmatrix} \Phi(x_1) & \dots & \Phi(x_m) \\ 1 & \dots & 1 \end{bmatrix} \in \mathbb{R}^{(N+1) \times m}$

$$\text{with } \mathbf{X}^\top = \begin{bmatrix} \Phi(x_1)^\top & 1 \\ \vdots & \\ \Phi(x_m)^\top & 1 \end{bmatrix} \quad \mathbf{W} = \begin{bmatrix} w_1 \\ \vdots \\ w_N \\ b \end{bmatrix} \quad \mathbf{Y} = \begin{bmatrix} y_1 \\ \vdots \\ y_m \end{bmatrix}.$$

- Convex and differentiable function.

$$\nabla F(\mathbf{W}) = \frac{2}{m} \mathbf{X}(\mathbf{X}^\top \mathbf{W} - \mathbf{Y}).$$

$$\nabla F(\mathbf{W}) = 0 \Leftrightarrow \mathbf{X}(\mathbf{X}^\top \mathbf{W} - \mathbf{Y}) = 0 \Leftrightarrow \mathbf{X}\mathbf{X}^\top \mathbf{W} = \mathbf{X}\mathbf{Y}.$$

Linear Regression - Solution

■ Solution:

$$\mathbf{W} = \begin{cases} (\mathbf{X}\mathbf{X}^\top)^{-1}\mathbf{X}\mathbf{Y} & \text{if } \mathbf{X}\mathbf{X}^\top \text{ invertible.} \\ (\mathbf{X}\mathbf{X}^\top)^\dagger\mathbf{X}\mathbf{Y} & \text{in general.} \end{cases}$$

- Computational complexity: $O(mN + N^3)$ if matrix inversion in $O(N^3)$.
- Poor guarantees in general, no regularization.
- For output labels in \mathbb{R}^p , $p > 1$, solve p distinct linear regression problems.

† Moore - Penrose pseudo inverse Π_X

[numpy.linalg.pinv](https://numpy.org/doc/stable/reference/generated/numpy.linalg.pinv.html)

Higher order polynomials

The polynomial regression model

$$y_i = \beta_0 + \beta_1 x_i + \beta_2 x_i^2 + \cdots + \beta_m x_i^m + \varepsilon_i \quad (i = 1, 2, \dots, n)$$

can be expressed in matrix form in terms of a design matrix \mathbf{X} , a response vector \vec{y} , a parameter vector $\vec{\beta}$, and a vector $\vec{\varepsilon}$ of random errors. The i -th row of \mathbf{X} and \vec{y} will contain the x and y value for the i -th data sample. Then the model can be written as a system of linear equations:

$$\begin{bmatrix} y_1 \\ y_2 \\ y_3 \\ \vdots \\ y_n \end{bmatrix} = \begin{bmatrix} 1 & x_1 & x_1^2 & \cdots & x_1^m \\ 1 & x_2 & x_2^2 & \cdots & x_2^m \\ 1 & x_3 & x_3^2 & \cdots & x_3^m \\ \vdots & \vdots & \vdots & \ddots & \vdots \\ 1 & x_n & x_n^2 & \cdots & x_n^m \end{bmatrix} \begin{bmatrix} \beta_0 \\ \beta_1 \\ \beta_2 \\ \vdots \\ \beta_m \end{bmatrix} + \begin{bmatrix} \varepsilon_1 \\ \varepsilon_2 \\ \varepsilon_3 \\ \vdots \\ \varepsilon_n \end{bmatrix},$$

which when using pure matrix notation is written as

$$\vec{y} = \mathbf{X}\vec{\beta} + \vec{\varepsilon}.$$

The vector of estimated polynomial regression coefficients (using [ordinary least squares estimation](#)) is

$$\hat{\vec{\beta}} = (\mathbf{X}^T \mathbf{X})^{-1} \mathbf{X}^T \vec{y},$$

4 MULTIVARIATE POLYNOMIAL REGRESSION

Polynomial Regression can be applied on single Regressor variable called Simple Polynomial Regression or it can be computed on Multiple Regressor Variables as Multiple Polynomial Regression[3],[4]. A Second Order Multiple Polynomial Regression can be expressed as:

$$y = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + \beta_{11} x_1^2 + \beta_{22} x_2^2 + \beta_{12} x_1 x_2 + \varepsilon \quad (19)$$

Here,

β_1, β_2 are called as linear effect parameters.

β_{11}, β_{22} are called as quadratic effect parameters.

β_{12} is called as interaction effect parameter.

The Regression Function for this is given as:

$$E(y) = \beta_0 + \beta_1 x_1 + \beta_2 x_2 + \beta_{11} x_1^2 + \beta_{22} x_2^2 + \beta_{12} x_1 x_2 \quad (20)$$

This is also called as the Response Surface.

This can again be represented in Matrix form as:

$$Y = \beta X + \varepsilon \quad (21)$$

The parameter for the given equation can be computed as:
$$\hat{\beta} = (X'X)^{-1}X'Y \quad (22)$$

And the Computed Regression Equation is represented as:




$$\hat{y} = \hat{\beta}_0 + \hat{\beta}_1 x_1 + \hat{\beta}_2 x_2 + \hat{\beta}_{11} x_1^2 + \hat{\beta}_{22} x_2^2 + \hat{\beta}_{12} x_1 x_2 \quad (23)$$

5 PROBLEMS WITH MULTIVARIATE POLYNOMIAL REGRESSION

The major issue with Multivariate Polynomial Regression is the problem of Multicollinearity. When there are multiple regression variables, there are high chances that the variables are interdependent on each other. In such cases, due to this relationship amongst variables, the regression equation computed does not properly fit the original graph.

Another problem with Multivariate Polynomial Regression is that the higher degree terms in the equation do not contribute majorly to the regression equation. So they can be ignored. But if the degree is each time estimated and decided I required or not, then each time all the parameters and equations need to be computed.

Higher order polynomials - Overfitting



Ridge Regression

(Hoerl and Kennard, 1970)

■ Optimization problem:

$$\min_{\mathbf{w}} F(\mathbf{w}, b) = \lambda \|\mathbf{w}\|^2 + \sum_{i=1}^m (\mathbf{w} \cdot \Phi(x_i) + b - y_i)^2,$$

where $\lambda \geq 0$ is a (regularization) parameter.

- directly based on generalization bound.
- generalization of linear regression.
- closed-form solution.
- can be used with kernels.

LASSO

(Tibshirani, 1996)


- **Optimization problem:** ‘least absolute shrinkage and selection operator’.

$$\min_{\mathbf{w}} F(\mathbf{w}, b) = \lambda \|\mathbf{w}\|_1 + \sum_{i=1}^m (\mathbf{w} \cdot \mathbf{x}_i + b - y_i)^2,$$

where $\lambda \geq 0$ is a (regularization) parameter.

- **Solution:** equiv. convex quadratic program (QP).
 - general: standard QP solvers.
 - specific algorithm: LARS (least angle regression procedure), entire path of solutions.

Sparsity of L1 regularization



Notes

■ Advantages:

- theoretical guarantees.
- sparse solution.
- feature selection.

■ Drawbacks:


- no natural use of kernels.
- no closed-form solution (not necessary, but can be convenient for theoretical analysis).


Elastic Net

- *Elastic Net* penalize the size of the regression coefficients based on both their l^1 norm and their l^2 norm :


$$\operatorname{argmin}_{\beta} \sum_i (y_i - \beta' x_i)^2 + \lambda_1 \sum_{k=1}^K |\beta_k| + \lambda_2 \sum_{k=1}^K \beta_k^2$$

- The l^1 norm penalty generates a sparse model.
- The l^2 norm penalty:
 - Removes the limitation on the number of selected variables.
 - Encourages grouping effect.
 - Stabilizes the l^1 regularization path.





[github](#)




[github](#)

Regression

- Kernel-based methods (in Foundations)
 - Kernel ridge regression.
 - SVR.
- Many other families of algorithms: including
 - neural networks.
 - decision trees.
 - boosting trees for regression.


A Simple Problem (Linear Regression)



- We have training data $X = \{x_1^k\}, i=1, \dots, N$ with corresponding output $Y = \{y^k\}, i=1, \dots, N$
- We want to find the parameters that predict the output Y from the data X in a linear fashion:

$$Y \approx w_0 + w_1 x_1$$


A Simple Problem (Linear



- We have training data $X = \{x_1^k\}, k=1, \dots, N$ with corresponding output $Y = \{y^k\}, k=1, \dots, N$
- We want to find the parameters that predict the output Y from the data X in a linear fashion:

$$y^k \approx w_0 + w_1 x_1^k$$


A Simple Problem (Linear Regression)



- It is convenient to define an additional “fake” attribute for the input data: $x_0 = 1$
- We want to find the parameters that predict the output Y from the data X in a linear fashion:

$$y^k \approx w_0 x_0^k + w_1 x_1^k$$

More convenient notations



- Vector of attributes for each training data point:

$$\mathbf{x}^k = [x_0^k, \dots, x_M^k]$$

- We seek a vector of parameters: $\mathbf{w} = [w_0, \dots, w_M]$
- Such that we have a linear relation between prediction Y and attributes X :

$$y^k \approx w_0 x_0^k + w_1 x_1^k + \dots + w_M x_M^k = \sum_{i=0}^M w_i x_i^k = \mathbf{w} \cdot \mathbf{x}^k$$

More convenient notations

By definition: The dot product between vectors \mathbf{w} and \mathbf{x}^k is:

$$\mathbf{w} \cdot \mathbf{x}^k = \sum_{i=0}^M w_i x_i^k$$


- Vector of attributes for each training data point:

$$\mathbf{x}^i = [x_0^i, \dots, x_M^i]$$


- We seek a vector of parameters: $\mathbf{w} = [w_0, \dots, w_M]$
- Such that we have a linear relation between prediction Y and attributes X :

$$y^k \approx w_0 x_0^k + w_1 x_1^k + \dots + w_M x_M^k = \sum_{i=0}^M w_i x_i^k = \mathbf{w} \cdot \mathbf{x}^k$$

Neural Networks




Neurons and the brain




The McCulloch-Pitts Neuron

- The first mathematical model of a neuron [Warren McCulloch and Walter Pitts, 1943]
- Binary activation: *fires* (1) or *not fires* (0)
- Excitatory inputs: the a 's, and
Inhibitory inputs: the b 's
- Unit weights and fixed threshold θ
- Absolute inhibition

$$c_{t+1} = \begin{cases} 1 & \text{If } \sum_{i=0}^n a_{i,t} \geq \theta \text{ and } b_{1,t} = \dots = b_{m,t} = 0 \\ 0 & \text{Otherwise} \end{cases}$$



Computing with McCulloch-Pitts Neurons




Any task or phenomenon that can be represented as a logic function can be modelled by a network of MP-neurons

- $\{\text{OR, AND, NOT}\}$ is functionally complete
- Any Boolean function can be implemented using OR, AND and NOT
- Canonical forms: CSOP or CPOS forms
- MP-neurons \Leftrightarrow Finite State Automata

- Problems with MP-neurons
 - Weights and thresholds are analytically determined.
Cannot learn
 - Very difficult to minimize size of a network
 - What about non-discrete and/or non-binary tasks?
- Perceptron solution [Rosenblatt, 1958]
 - Weights and thresholds can be determined analytically or by a learning algorithm
 - Continuous, bipolar and multiple-valued versions
 - Efficient minimization heuristics exist

Perceptron



- Architecture

- Input: $\vec{x} = (x_0 = 1, x_1, \dots, x_n)$

- Weight: $\vec{w} = (w_0 = -\theta, w_1, \dots, w_n)$, $\theta = \text{bias}$

- Net input: $y = \vec{w}\vec{x} = \sum_{i=0}^n w_i x_i$

- Output $f(\vec{x}) = g(\vec{w}\vec{x}) = \begin{cases} 0 & \text{If } \vec{w}\vec{x} < 0 \\ 1 & \text{If } \vec{w}\vec{x} \geq 0 \end{cases}$

g : activation function

PERCEPTRON
NAUTICAL LABORATORY, INC.




In July 1958, the U.S. Office of Naval Research unveiled a remarkable invention.

An IBM 704 – a 5-ton computer the size of a room – was fed a series of punch cards. After 50 trials, the computer taught itself to distinguish cards marked on the left from cards marked on the right.

It was a demonstration of the “perceptron” – “the first machine which is capable of having an original idea,” according to its creator, Frank Rosenblatt.

[\[Cornell Chronicle\]](#)

Neural Network: *Linear Perceptron*




Linear: no activation function

Ισοδύναμο με τη συνάρτηση
δυναμικού του ADALINE
(Widrow-Hoff, 1960). [Βλέπε
σύγκριση Perceptron - Adaline](#)

Neural Network: *Linear Perceptron*

Note: This input unit corresponds to the “fake” attribute $x_0 = 1$. Called the *bias*



Linear Regression: Gradient Descent

- We seek a vector of parameters: $\mathbf{w} = [w_0, \dots, w_M]$ that minimizes the error between the prediction Y and the data X :


$$\begin{aligned} E &= \sum_{k=1}^N \left(y^k - (w_0 x_0^k + w_1 x_1^k + \dots + w_M x_M^k) \right)^2 \\ &= \sum_{k=1}^N \left(y^k - \mathbf{w} \cdot \mathbf{x}^k \right)^2 \\ &= \sum_{k=1}^N \delta_k^2 \quad \delta_k = y^k - \mathbf{w} \cdot \mathbf{x}^k \end{aligned}$$

E : θα την δούμε και με 1/2 μπροστά για κανονικοποίηση

Linear F

δ_k is the error between the input \mathbf{x} and the prediction y at data point k .

Graphically, it is the “vertical” distance between data point k and the prediction calculated by using the vector of linear parameters \mathbf{w} .



$$= \sum_{k=1}^N \delta_k^2 \quad \delta_k = y^k - \mathbf{w} \cdot \mathbf{x}^k$$

Gradient Descent

- The minimum of E is reached when the derivatives with respect to each of the parameters w_i is zero:

$$\begin{aligned}\frac{\partial E}{\partial w_i} &= -2 \sum_{k=1}^N \left(y^k - (w_0 x_0^k + w_1 x_1^k + \dots + w_M x_M^k) \right) x_i^k \\ &= -2 \sum_{k=1}^N \left(y^k - \mathbf{w} \cdot \mathbf{x}^k \right) x_i^k \\ &= -2 \sum_{k=1}^N \delta_k x_i^k\end{aligned}$$

Gradient Descent


- The minimum of E is reached when the derivatives with respect to each of the parameters w_i is zero:

Note that the contribution of training data element number k to the overall gradient is $-\delta_k x_i^k$

$$\begin{aligned}\frac{\partial E}{\partial w_i} &= -2 \sum_{k=1}^N (y^k - (w_1 x_1 + \dots + w_M x_M)) x_i^k \\ &= -2 \sum_{k=1}^N (y^k - w_i x_i^k) x_i^k \\ &= -2 \sum_{k=1}^N \delta_k x_i^k\end{aligned}$$

Δείτε και το [“Single-Layer Neural Networks and Gradient Descent”](#) του Raschka με παραδείγματα σε Python

Gradient Descent Update Rule



- Update rule: Move in the direction opposite to the gradient direction

$$w_i \leftarrow w_i - \alpha \frac{\partial E}{\partial w_i}$$

Perceptron Training

- Given input training data x^k with corresponding value y^k
1. Compute error:

$$\delta_k \leftarrow y^k - \mathbf{w} \cdot \mathbf{x}^k$$

2. Update NN weights:

$$w_i \leftarrow w_i + \alpha \delta_k x_i^k$$

α is the learning rate.

α too small: May converge slowly and may need a lot of training examples




α too large: May change \mathbf{w} too quickly and spend a long time oscillating around the minimum.



1. Compute error:

$$\delta_k \leftarrow y^k - \mathbf{x}^k$$


2. Update NN weights:



$$\mathbf{w}_i \leftarrow \mathbf{w}_i + \alpha \delta_k x_i^k$$








After 2 iterations
(2 training points)






After 6 iterations
(6 training points)





After 20 iterations
(20 training points)




Perceptrons: Remarks

- Update has many names: delta rule, gradient rule, LMS rule.....
- Update is ***guaranteed*** to converge to the best linear fit (global minimum of E)
- Of course, there are more direct ways of solving the linear regression problem by using linear algebra techniques. It boils down to a simple matrix inversion (not shown here).
- In fact, the perceptron training algorithm can be much, much slower than the direct solution


A Simple Classification Problem

Training data:



- Suppose that we have one attribute x_1
- Suppose that the data is in two classes (red dots and green dots)
- Given an input value x_1 , we wish to predict the most likely class.

A Simple Classification Problem





- We could convert it to a problem similar to the previous one by defining an output value y

$$y = \begin{cases} 0 & \text{if in red class} \\ 1 & \text{if in green class} \end{cases}$$


- The problem now is to learn a mapping between the attribute x_1 of the training examples and their corresponding class output y

A Simple Classification Problem







The Sigmoid Function



- Note: It is **not** important to remember the exact expression of σ (in fact, alternate definitions are used for σ). What is important to remember is that:
 - It is smooth and has a derivative σ' (exact expression is unimportant)
 - It approximates a hard threshold function at $x = 0$




2A



2B

Generalization to M Attributes



A linear separation is parameterized like a line:

$$\sum_{i=0}^M \mathbf{w}_i \mathbf{x}_i = \mathbf{w} \cdot \mathbf{x} = 0$$

- Two classes are linearly separable if they can be separated by a linear combination of the attributes:
 - Threshold in 1-d
 - Line in 2-d
 - Plane in 3-d
 - Hyperplane in M -d


Generalization to M Attributes

$y = 0$ in this region,
we can approximate
 y by $\sigma(\mathbf{w} \cdot \mathbf{x}) \approx 0$


A linear separation is
parameterized like a line:

$$\sum_{i=0}^M \mathbf{w}_i \mathbf{x}_i = \mathbf{w} \cdot \mathbf{x} = 0$$

$y = 1$ in this region,
we can approximate
 y by $\sigma(\mathbf{w} \cdot \mathbf{x}) \approx 1$



Single Layer Network for Classification




- Term: Single-layer Perceptron

Interpreting the Squashing Function

Data is very close to threshold (small margin) \rightarrow σ value is very close to $1/2$ \rightarrow we are not sure \rightarrow 50-50 chance that the class is 0 or 1

Data is very far from threshold (large margin) \rightarrow σ value is very close to 0 \rightarrow we are very confident that the class is 1



- Roughly speaking, we can interpret the output as how confident we are in the classification: $\text{Prob}(y=1|x)$

Training

- Given input training data x^k with corresponding value y^k

1. Compute error:

$$\delta_k \leftarrow y^k - \sigma(\mathbf{w} \cdot \mathbf{x}^k)$$

2. Update NN weights:

$$w_i \leftarrow w_i + \alpha \delta_k x_i^k \sigma'(\mathbf{w} \cdot \mathbf{x}^k)$$

Note: It is exactly the same as before, except for the additional complication of passing the linear output through σ

- Given input training data \mathbf{x}^k with corresponding values y^k

1. Compute error:

$$\delta_k \leftarrow y^k - \sigma(\mathbf{w} \cdot \mathbf{x}^k)$$

This formula derived by direct application of the chain rule from calculus

$$\mathbf{w}_i \leftarrow \mathbf{w}_i + \alpha \delta_k x_i^k \sigma'(\mathbf{w} \cdot \mathbf{x}^k)$$

Example

x_2

$$x_2 = x_1$$


$$\mathbf{w} = [0 \ 1 \ -1]$$





Annoying detail: We get the same separating line if we multiply all of \mathbf{w} by some constant, so we are really interested in the relative values, such as the slope of the line, $-w_2/w_1$.





$y = 0$

$y = 1$

x_1







Single Layer: Remarks

- Good news: Can represent any problem in which the decision boundary is *linear*.
- Bad news: *NO* guarantee if the problem is not linearly separable
- Canonical example: Learning the XOR function from example → There is no line separating the data in 2 classes.

$x_1 = 0$
 $x_2 = 1$



$x_1 = 1$
 $x_2 = 1$

$x_1 = 0$
 $x_2 = 0$




Class output:

$$y = x_1 \text{ XOR } x_2$$

Hyperplanes over \mathbb{R}^d have
VC-dim = $d+1$

[The Minsky-Papert XOR affair](#)
(1969)



Anderson JA, Rosenfeld E, editors. **Neurocomputing. Foundations of Research.** MIT press; 1988.

Συλλογή με όλα τα σημαντικά papers του neuro-inspired computing από την αρχή και χρονολογικά όπως:

McCulloch, Warren S., and Walter Pitts. "A logical calculus of the ideas immanent in nervous activity." *The bulletin of mathematical biophysics* 5.4 (1943): 115-133.

Rosenblatt, Frank. "The perceptron: a probabilistic model for information storage and organization in the brain." *Psychological review* 65.6 (1958): 386.

Marvin, Minsky, and A. Papert Seymour. "Perceptrons." Cambridge, MA: MIT Press (1969).