

ECO-FRIENDLY SUSTAINABLE CAMPUS

MONITORING CLEAN ENERGY IN THE EULIST CAMPUSES

GROUP

GULAM HUSAIN PATEL – ANDREA GUDÁBOVÁ – BARBORA CHRIPKOVÁ – ANDREA ILLÉŠOVÁ – GEORGE ANTONEAS



















AN ECO-FRIENDLY SUSTAINABLE CAMPUS:

- PAves the way for a greener future
- Empowers individuals to make positive changes that extend beyond the campus boundaries
- Ultimately contributes to a sustainable planet for generations to come

PROJECT FOR AN ECO-FRIENDLY SUSTAINABLE CAMPUS FOCUSES ON A NEW PROTOTYPE BUILDING MODEL:

- Nearly Zero Energy Building
- Possibility of alternating masonry and glazing
- Easy switching of thermal and electrical energy production systems
- Monitoring and controlling of building's passive and active operational systems



















STEP 1: DATA COLLECTION

- Configuration of weather data and construction materials
- Insulation levels, glazing characteristics for different building elements (walls, roof, windows)
- Simulation settings the simulation period, time step, and output variables, input of the occupancy schedule, lighting loads, and otherinternal gains

STEP 2: APPROACH

- Division of the building to smaller spaces of multiple rooms with similar thermal properties
- Thermal properties considered: orientation of the space, occupancy profile of the space, internal loads of the space, desired temperature setpoint

STEP 3: ANALYSIS AND OPTIMIZATION OF THE ENERGY DESIGN

- ENERGYPLUS simulation tool allowing assessment of the energy performance of buildings
- Exporting informed decisions to improve their energy efficiency



















SIMULATING THE OPTIMAL BUILDING PROPERTIES IN DIFFERENT CONDITIONS:

• Two different climatic zones: ATHENS, GREECE



STOCKHOLM, SWEDEN






















SIMULATING THE OPTIMAL BUILDING PROPERTIES IN DIFFERENT CONDITIONS:

• Distinctive function: RESIDENTIAL BUILDING for a family



FAMILY OF FOUR:

- CONSITS OF TWO PARENTS AND TWO CHILDREN
- Parents in office 8.00 18.00 (mon fri)
- Children in school 8.00 16.00 (mon fri)
- Weekend outtings 12.00 17.00
- Vacation in July



















LOCATION NO.1: ATHENS, GREECE

LOCATION

• South-eastern Europe, beyond Balkan countries, on the Peloponnese peninsula and more than 1.400 adjacent islands

CLIMATE

• Typical Mediterranean climate: mostly cloudless skies in summer, temperature around 36°C (in thesouth around 40°C), clear weather from April to November, rainy weather in winter


MOST USED MATERIALS

WOOD AND CLAY



EULIST

LIMESTONE



PENTELIKON MARBLE



MARBLE PINK EPIROS MARBLE



















LOCATION NO.2: STOCKHOLM, SWEDEN

LOCATION

Northern Europe

CLIMATE


• Primarily mild climate (thanks to Gulf Stream), withdeciduous trees in south and pines and birchesin north, the subarctic climate dominates mountains in the north

MOST USED MATERIALS & CONSTRUCTION

WOOD INFILL WALLS LIGHTWEIGHT CONCRETE WALLS







BIOBASED MATERIALS:

BARRIER FILMS
CHEMICALS
CARBON FIBRES
TEXTILE FIBRES




















SIMULATING THE OPTIMAL BUILDING PROPERTIES - RESULTS FOR ATHENS:





















SIMULATING THE OPTIMAL BUILDING PROPERTIES - RESULTS: ATHENS 2020 HVAC




















SIMULATING THE OPTIMAL BUILDING PROPERTIES - RESULTS: ATHENS 2050 HVAC



COMPARED TO 2020:

- → heating decreases
- → cooling increases

REASON:

rise in global

temperature by 1.5°C




















SIMULATING THE OPTIMAL BUILDING PROPERTIES - RESULTS FOR STOCKHOLM:





















SIMULATING THE OPTIMAL BUILDING PROPERTIES - RESULTS: STOCKHOLM 2020 HVAC

Electricity Consumption (kWh) - view table 1.2k -Electricity Consumption (KWh) Heat Recovery Pumps Interior Equipment Exterior Lighting Interior Lighting 0.2k -Cooling Heating Jun Jul Oct




















SIMULATING THE OPTIMAL BUILDING PROPERTIES - RESULTS: STOCKHOLM 2050 HVAC

Electricity Consumption (kWh) - view table






















SIMULATING THE OPTIMAL BUILDING PROPERTIES - RESULTS: LIFE CYCLE ASSESSMENT OF ENERGY CONSUMPTION






















LOCATION NO.1: ATHENS, GREECE



RESIDENTIAL BULDING FLOORPLAN M1:30



















LOCATION NO.1: ATHENS, GREECE

DETAILS OF THE WALL FLOORPLAN M1:15 facade plaster wood prism insulation plaster facade plaster wood prism insulation plaster





















































































































































































LOCATION NO.2: STOCKHOLM, SWEDEN



RESIDENTIAL BULDING FLOORPLAN M1:30





















LOCATION NO.2: STOCKHOLM, SWEDEN


























































































































































































GROUP

GULAM HUSAIN PATEL - ANDREA GUDÁBOVÁ - BARBORA CHRIPKOVÁ - ANDREA ILLÉŠOVÁ - GEORGE ANTONEAS























